



Champ™ 600 and 10 LCD Cartridge Hot Melt Bead Nozzles

Nozzles for simple dot and bead application

Common nozzles for spot and bead application with different orifice sizes, depending on the required application form and quantity.



G05E01-024

1.0mm nozzle



G05E01-018

2.0mm nozzle



G05E01-028

Spring loaded need jet nozzle,
1.5mm



Champ™ 600 and 10 LCD Cartridge Hot Melt Bead Nozzles

Nozzle Inserts and Injection Needles

The following nozzle inserts are screwed into the **basic nozzle G05E01-029**.



G05E01-029

Basic Nozzle, 6mm



G05E01-030

Nozzle insert, 4mm



G05E01-031

Flat Nozzle insert, 5.5 x 1.5 mm



G05E01-032

Diagonal nozzle insert, 4mm



G05E01-033

Injection Needle, 1.5mm orifice
10mm long



Champ™ 600 and 10 LCD Cartridge Hot Melt Bead Nozzles

Adapter Nozzle and nozzle heads

The following nozzles are used with **nozzle adapter G05E59-003**.



G05E59-003

Adapter



G05E01-034

2 Hole Nozzle, 1.5m orifice



G05E01-035

3 Hole nozzle, 1.5mm orifice




G05E01-036

5 Hole Nozzle, 1mm orifice



G05E01-037

Extension nozzle, diagonal 3mm
orifice



G05E01-038

Needle Jet Nozzle, 1.2mm
orifice



Champ™ 600 and 10 LCD Cartridge Hot Melt Bead Nozzles

Preconfigured accessory nozzles

Nozzle adapter, ball and spring are required.



G05E59-006
G05E79-001
G05E42-002

Nozzle Adapter
Ball
Spring



G05E01-039

Extended nozzle, 1.75mm
orifice



G05E01-041

Nozzle, 2.5mm orifice



G05E01-020

Slit nozzle 18 x .5mm orifice



G05E01-044

Slit nozzle 10 x .5mm orifice